

# AN IDEAL SPRAY NOZZLE FOR PROFESSIONAL USERS!



## GOOD POINT ①

**Spray Plate with specially designed enables softer watering!**

Plate hole made via photoresist technology makes precise hole.

## GOOD POINT ②

**Handmade brazing makes product perfect.**

## GOOD POINT ③

**All brass with polished finish makes product more durable.**

# ZETTO

## GOOD POINT ④


**Specialized Swaging process leads contoured grip.**




# NEW RELEASE

## "ONE-TOUCH COUPLE" MODEL

We release special adapter type which enables user to joint coupler.



One touch coupling !



**POINT  
1**

Tip of pipe has a special adapter.



NEW

**POINT  
2**

To connect coupler.




We do not guarantee our adapter can fit all kinds of coupler.

# ZETTO SPRAY NOZZLES

## G5 Series






Watering with widest range.

	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	QNTY IN INNER BOXES/ CARTON
	G5	Agricultural		4938960 33488 9	380	80× 80	0.7	379	18 ℓ /min (0.3MPa)	18~25	6/30

## G19 Series



Light weight, ease to use.

	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	QNTY IN INNER BOXES/ CARTON
	G19	Gardening		4938960 32610 5	285	85× 63	0.4	571	16 ℓ /min (0.2MPa)	15	10/60
	G19 G19N (with ISO G1/4 thread)	Gardening	Power sprayer use	4938960 32890 1	295	85× 63	0.4	571	16 ℓ /min (0.2MPa)	G1/4	10/60
	G19A	Gardening	One touch coupler use	4938960 36716 0	300	85× 63	0.4	571	16 ℓ /min (0.2MPa)	-	10/60

## G36 Series





Spray plate replaceable, watering small range, ideal for potted plants.

	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	QNTY IN INNER BOXES/ CARTON
	G36	Gardening	Plate replaceable	4938960 32612 9	350	45× 45	0.4	500	12 ℓ /min (0.2MPa)	15	10/60
	G36N (with ISO G1/4 thread)	Gardening	Plate replaceable, Power sprayer use	4938960 39892 8	360	45× 45	0.4	500	12 ℓ /min (0.2MPa)	G1/4	10/60
	G36A	Gardening	Plate replaceable, One touch coupler use	4938960 36717 7	365	45× 45	0.4	500	12 ℓ /min (0.2MPa)	-	10/60
	GK36 (with cock)	Agricultural/ Gardening	Plate replaceable	4938960 32616 7	375	45× 45	0.4	500	12 ℓ /min (0.2MPa)	15	10/60
	GK36A (with cock)	Agricultural/ Gardening	Plate replaceable, One touch coupler use	4938960 36844 0	385	45× 45	0.4	500	12 ℓ /min (0.2MPa)	-	10/60
	GL36	Agricultural/ Gardening	Plate replaceable	4938960 32614 3	610	45× 45	0.4	500	12 ℓ /min (0.2MPa)	15	10/60
	GL36N (with ISO G1/4 thread)	Agricultural/ Gardening	Plate replaceable, Power sprayer use	4938960 33468 1	620	45× 45	0.4	500	12 ℓ /min (0.2MPa)	G1/4	10/60
	GLK46 (with cock)	Agricultural/ Gardening	Plate replaceable	4938960 32896 3	640	45× 45	0.4	500	12 ℓ /min (0.2MPa)	15	10/60
	GLK46N (with cock, ISO G1/4 thread)	Agricultural/ Gardening	Plate replaceable, Power sprayer use	4938960 32884 0	650	45× 45	0.4	500	12 ℓ /min (0.2MPa)	G1/4	10/60

# ZETTO SPRAY NOZZLES


## G37 Series





Spray Plate Replaceable, softer watering wide range.

	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	QNTY IN INNER BOXES/ CARTON
	G37	Gardening	Plate replaceable	4938960 32622 8	340	65× 65	0.4	592	14 ℓ/min (0.2MPa)	15	10/60
	G37 (with ISO G1/4 thread)	Gardening	Plate replaceable, Power sprayer use	4938960 32894 9	350	65× 65	0.4	592	14 ℓ/min (0.2MPa)	G1/4	10/60
	G37A	Gardening	Plate replaceable, One touch coupler use	4938960 36718 4	355	65× 65	0.4	592	14 ℓ/min (0.2MPa)	-	10/60
	GK37 (with cock)	Gardening	Plate replaceable	4938960 36845 7	360	65× 65	0.4	592	14 ℓ/min (0.2MPa)	15	10/60
	GK37A	Gardening	Plate replaceable, One touch coupler use	4938960 36846 4	375	65× 65	0.4	592	14 ℓ/min (0.2MPa)	-	10/60
	GL38	Agricultural/ Gardening	Plate replaceable	4938960 32891 8	610	65× 65	0.4	592	14 ℓ/min (0.2MPa)	15	10/60
	GL38 (with ISO G1/4 thread)	Agricultural/ Gardening	Plate replaceable, Power sprayer use	4938960 33470 4	620	65× 65	0.4	592	14 ℓ/min (0.2MPa)	G1/4	10/60
	GLK47 (with cock)	Agricultural/ Gardening	Plate replaceable	4938960 32893 2	630	65× 65	0.4	592	14 ℓ/min (0.2MPa)	15	10/60
	GLK47N (with cock, ISO G1/4 thread)	Agricultural/ Gardening	Plate replaceable, Power sprayer use	4938960 33346 2	640	65× 65	0.4	592	14 ℓ/min (0.2MPa)	G1/4	10/60



## G61 Series





ZETTO's flag ship model. Softer & ampler watering, ideal for professional use.

	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	QNTY IN INNER BOXES/ CARTON
	G61	Agricultural		4938960 32618 1	420	110× 85	0.6	760	25 ℓ/min (0.35MPa)	18~25	6/30
	G261	Agricultural	Head replaceable	4938960 32887 1	520	110× 85	0.6	760	25 ℓ/min (0.35MPa)	18~25	6/30

## G61B (wider hole) Series



Same as G61, but hole diameter slight wider than G61, wider hole makes less clogged.


	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	QNTY IN INNER BOXES/ CARTON
	G61B (with wider hole)	Agricultural		4938960 32620 4	420	110× 85	0.8	579	28 ℓ/min (0.35MPa)	18~25	6/30
	G261B (with wider hole)	Agricultural	Head replaceable	4938960 32889 5	520	110× 85	0.8	579	28 ℓ/min (0.35MPa)	18~25	6/30

\* G5, G61, G61B (with wider hole) , G261 and G261B (with wider hole) cannot be effective when you use home water supply, as pressure is not enough. When you use power spray, you will fully enjoy effectiveness of our model.




# ZETTO SPRAY NOZZLES

## G161 Series




Wider range as well as softer watering.







	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	QNTY IN INNER BOXES/ CARTON
	G161	Agricultural	Head replaceable	4938960 32898 7	680	155×110	0.8	703	30 ℓ/min (0.4MPa)	18~25	2/30

\* G161 cannot be effective when you use home water supply, as pressure is not enough. When you use power spray, you will fully enjoy effectiveness of our model.

## MS700 Series



Specialized in softest watering. Hole diameter with 0.35mm and holes totalling to 1,301, realize softest as well as amplest watering. Ideal watering equipment for nursery as well as delicated plants.

	ARTICLE #	APPLICATION	REMARKS	JAN CODE	LENGTH (mm)	HEAD SIZE (H×W mm)	HOLE DIA. (mm)	#S OF HOLE	WATER CONSUMPTION	HOSE (CALIBER OF HOSE mm)	
	MS700	Agricultural	Chromium-plated, Plate replaceable	4938960 33484 1	610	65× 65	0.35	1,301	15 ℓ/min (0.2MPa)	15	10/60
	MS700S (Short type)	Agricultural	Chromium-plated, Plate replaceable	4938960 36384 1	340	65× 65	0.35	1,301	15 ℓ/min (0.2MPa)	15	10/60
	MS700SA	Agricultural	Chromium-plated, Plate replaceable, One touch coupler use	4938960 367191	355	65×65	0.35	1,301	15 ℓ/min (0.2MPa)	-	10/60
	MS700SN (Short type, with ISO G1/4 thread)	Agricultural	Chromium-plated, Plate replaceable, Power sprayer use	4938960 36385 8	350	65× 65	0.35	1,301	15 ℓ/min (0.2MPa)	G1/4	10/60
	MS900 (with cock)	Agricultural	Chromium-plated, Plate replaceable	4938960 33486 5	630	65× 65	0.35	1,301	15 ℓ/min (0.2MPa)	15	10/60
	MS900SA (Short type, with cock)	Agricultural	Chromium-plated, Plate replaceable, One touch coupler use	4938960 36847 1	375	65× 65	0.35	1,301	15 ℓ/min (0.2MPa)	-	10/60

### PLATE REPLACEABLE

When trash or sand block the spray plate, you can remove and wash plate. Plate itself also can be replaceable.

### HEAD REPLACEABLE

When trash or some other goods block your spray, You can remove head and wash it. Also can replace current head with new one.

### WITH ISO G1/4 THREAD

You can connect power spray through the thread.

### ONE TOUCH COUPLER

We prepare adapter to connect one touch coupler.

# ZETTO SPRAY NOZZLES

## NOZZLE TIP TOP



Diameter of hole ranging from 0.5mm in Art. #G101 to 0.9mm in Art. #G105

### NOZZLE TIP TOP

ARTICLE #	APPLICATION	HOLE DIA. (mm)	JAN CODE	QNTY
G101 (No.1)	Agricultural/Gardening	0.5	4938960 32623 5	25
G102 (No.2)	Agricultural/Gardening	0.6	4938960 32624 2	25
G103 (No.3)	Agricultural/Gardening	0.7	4938960 32625 9	25
G104 (No.4)	Agricultural/Gardening	0.8	4938960 32626 6	25
G105 (No.5)	Agricultural/Gardening	0.9	4938960 32627 3	25

## SAMPLES OF PLATE



G36




G37



G19




G61



MS700



G5



G161

## HEAD REPLACEABLE

ARTICLE #	APPLICATION	JAN CODE	QNTY IN INNER BOXES/CARTON
G261 Head replaceable	Agricultural	4938960 33476 6	10/—
G261B (wider hole) Head replaceable	Agricultural	4938960 33478 0	10/—
G161 Head replaceable	Agricultural	4938960 33472 8	5/—

## REPAIR PARTS

Items	Applicable Art. #	JAN CODE	QNTY IN INNER BOXES/CARTON	REMARKS
G36 Plate set including packing	All G36 series	4938960 32885 7	Can ship separately	
G37 Plate set including packing	All G37 series	4938960 32886 4	Can ship separately	
MS700 Plate set including packing	All MS700 series	4938960 36449 7	Can ship separately	